

# VERSALIFT

## VTL-140-F

Van mounted telescopic platform



Shaped boom profile



LMC controls with variable outreach



Emergency lowering controls at the pedestal



Turret tailswing within the mirrors



Class leading leftover payload




# VERSALIFT

A **TIME** MANUFACTURING COMPANY


# VTL-39-140-F on Ford Transit



■ Length: 6785 mm ■ Height: 3400 mm ■ Wheelbase: 3300 mm



## Diagramme(s)




## Options

- Inverter
- Reversing camera
- Airline in the bucket
- Workshop interior
- LED ceiling lights in the workshop module
- Hydraulic axle locking system
- Bucket rotator (2 x 90°)
- Outrigger pads with holders
- Safety lanyard and harness



The shaped profile ultra high strength steel booms provide improved rigidity, stiffness and performance



Workshop interior (optional)



Ground level emergency lowering from the load area (pedestal mounted valve bank)



LMC (Load Moment Controls): Variable outreach and up to 2 actions at a time (1 per joystick)

## Notes

Technical information is subject to change without prior notice. Images may show optional equipment. Installations and/or options may not be available in your specific region.

\* Depending on the vehicle.

\*\* Max payload with a driver, a passenger and a full tank of fuel (220 kg added to the installation weight).

\*\*\* Depending on the vehicle position

## Distributor

**Versalift International**  
Soendervang 3, 9640 Farsoe  
Denmark

+45 9863 2433  
sales@versalift.dk  
versaliftinternational.com