

VERSALIFT

V-200

Chassis mounted
telescopic platform



2 x 90° bucket rotation



3-stage telescopic
boom



Automatic setup and
packing



Available for class B
driving licence



XPC controls with up to
4 actions at a time



VERSALIFT

A **TIME** MANUFACTURING COMPANY

V-200 on Mercedes



High-performance telescopic lift that comes with automatic stabilization as standard


Full working height with narrow jacking.

Incredible max outreach of 14 meter in full working diagram (360°)



5°/5° outrigger levelling ability

Ample spare payload to install additional Versalift hybrid system, the e-Tech lithium battery pack system.

■ Length: 7830 mm ■ Height: 3060 mm ■ Wheelbase: 3665 mm




Diagramme(s)



Options

Electric emergency pump
Lithium-Ion power pack
Eco start/stop function
Auto doorlock



Maximum bucket capacity of 300 kg.



Easy access to bucket



XPC controls with up to 4 actions at a time & automatic outrigger setup and packing



Lithium-Ion power pack (optional)

Notes

Technical information is subject to change without prior notice. Images may show optional equipment. Installations and/or options may not be available in your specific region.

* Depending on the vehicle.

** Max payload with a driver and a full tank of fuel (220 kg added to the installation weight).

*** Depending on the vehicle position

Distributor

Versalift International
Soendervang 3, 9640 Farsoe
Denmark

+45 9863 2433
sales@versalift.dk
versaliftinternational.com

VERSALIFT

V-200

Chassis mounted
telescopic platform



2 x 90° bucket rotation



3-stage telescopic
boom



Automatic setup and
packing



XPC controls with up to
4 actions at a time



Available for class B
driving licence



VERSALIFT

A **TIME** MANUFACTURING COMPANY

V-200 on Iveco Daily



High-performance telescopic lift that comes with automatic stabilization as standard


Full working height with narrow jacking.

Incredible max outreach of 14 meter in full working diagram (360°)


5°/5° outrigger levelling ability

Ample spare payload to install additional Versalift hybrid system, the e-Tech lithium battery pack system.

■ Length: 7654 mm ■ Height: 3000 mm ■ Wheelbase: 3750 mm




Diagramme(s)



Options

Electric emergency pump
Lithium-Ion power pack
Eco start/stop function



Maximum bucket capacity of 300 kg.



Aluminium steps to the bucket



XPC controls with up to 4 actions at a time & automatic outrigger setup and packing



Lithium-Ion power pack (optional)

Notes

Technical information is subject to change without prior notice. Images may show optional equipment. Installations and/or options may not be available in your specific region.

* Depending on the vehicle.

** Max payload with a driver and a full tank of fuel (220 kg added to the installation weight).

*** Depending on the vehicle position

Distributor

Versalift International
Soendervang 3, 9640 Farsoe
Denmark

+45 9863 2433
sales@versalift.dk
versaliftinternational.com